



IGOL.

LUBRICANTS



**A PASSION FOR
PERFORMANCE**

**WATERSPORTS
MARINE PRO**

IGOL.

LUBRICANTS

WHO ARE WE?



1950




1970



1990



2000



MORE THAN 70 YEARS OF PASSION AND STILL GOING STRONG !

The IGOL brand was created when fifteen heads of independent producers and distributors of lubricants across France joined forces. Since then, the company has grown steadily and is now one of the leading independent manufacturer of lubricants.

Our perennial priorities have been: quality, innovation and close working relationships - all with a view to fostering an effective partnership with every customer.

A PARTNER FOR PERFORMANCE

IGOL has always been involved in motor sports, competing at the highest levels. Rallying and motorcycle racing are embedded in the brand's DNA. Competitive racing provides an ideal and challenging proving ground for innovative lubricants. IGOL is proud to support the performance and achievements of its partners, by enabling them to exceed their expectations.



PACKAGING THAT MEETS YOUR NEEDS



AN EXPORT DEDICATED TEAM

IGOL INTENSIFIES ITS INTERNATIONAL PRESENCE !

For more than 70 years, IGOL has been designing, developing and manufacturing innovative, state-of-the-art products.

IGOL offers a wide range of lubricants for engines, transmissions and gearboxes, but also complementary products such as greases, coolants, aerosols, cleaning products and cosmetics for all sectors of activity (Automotive, Motorcycle, Agriculture, Industry...).

With a brand new plant based in the north of France, IGOL continues to invest in research and development and in its production facilities to offer you premium products and services.

FRENCH KNOW-HOW

IGOL exports its French know-how to many countries.

IGOL and its dedicated Export team can help you to grow your business by benefiting from a strong brand with a presence in many international motorsports competitions, state-of-the-art products tailored to your needs and your market, tailor-made marketing tools and actions.



DO YOU WANT TO BECOME A DISTRIBUTOR OF THE IGOL BRAND OR TO KNOW MORE ?

Please contact our dedicated export team !

By telephone: **+33 6 69 63 99 37**

By email: **export@igol.com**

OUR RANGES

PROSURF

The range for
watersports enthusiasts

*Outboard engines - Inboard engines
Jet-skis*



MARINE PRO

The range of lubricants for professional
users in the maritime sector

*Ocean freight - Fishing - Passenger transport
Replenishment vessels - Shipbuilding - Large ports*



PROSURF



The manufacture of IGOL's PROSURF range has been made possible by the company's application of an original technological concept. These new products meet the requirements of engine manufacturers belonging to the National Marine Manufacturers Association (NMMA), the certification and approval body for outboard engine lubricants.

Developed under demanding technical and environmental conditions, PROSURF is a range for professionals that is now available to all watersports enthusiasts.



2-STROKE ENGINES

IGOL LUBRICANT	STANDARDS	SPECIFICATIONS
----------------	-----------	----------------

2-STROKE OUTBOARD ENGINES

IGOL PROSURF 2T HORS-BORD TC-W3	API TD NMMA TC-W; TC-W II NMMA TC-W3®* Reference: RL 50391	An oil for 2-stroke outboard engines providing separate or mixed lubrication. Officially TC-W3 certified by the National Marine Manufacturers Association (NMMA). Product is coloured to reveal its presence in the fuel.
IGOL PROSURF AQUASYNTH 2T TC-W3 BIODEGRADABLE LUBRICANT* <small>*Biodegradability >60% (as per standard OECD 301 B)</small>	API TD NMMA TC-W; TC-W II NMMA TC-W3®* Reference: RL-90042R	A biodegradable synthetic engine oil for 2-stroke, fuel-injection outboard engines providing separate or mixed lubrication. Officially TC-W3 certified by the National Marine Manufacturers Association (NMMA). Particularly recommended for the new EVINRUDE E-TEC G2 engines. Product is coloured to reveal its presence in the fuel.

2-STROKE ENGINES - JET-SKIS

IGOL PROSURF 2T JET TC-W3	API TD NMMA TC-W; TC-W II NMMA TC-W3®* Reference: RL 50391	An engine oil for 2-stroke jet-ski (water scooter) engines providing separate or mixed lubrication. Officially TC-W3 certified by the National Marine Manufacturers Association (NMMA). Product is coloured to reveal its presence in the fuel.
IGOL PROSURF 2T SI	API TC ISO-L-EGD JASO FC	A high-performance synthetic lubricant for 2-stroke, direct-injection jet-ski (water scooter) engines that require a lubricant offering API TC performance levels. Not suitable for applications that recommend NMMA TC-W3.



4-STROKE ENGINES

OUTBOARDS AND INBOARDS

IGOL LUBRICANT	STANDARDS	SPECIFICATIONS
IGOL PROSURF 4T VP 15W-50	ACEA A3/B3 API SJ	A synthetic oil for inboard engines, specially developed for VOLVO PENTA petrol engines. Particularly recommended for powerful petrol engines used in pleasure boating.
IGOL PROSURF 4T YW 5W-30	ACEA A3/B4/C3 • API SM/CF BMW LL-04 VW 504.00/507.00	A very high-tech oil specially developed to meet the requirements of YANMAR 4BY and 6BY and of VOLKSWAGEN 4-stroke inboard engines.
IGOL PROSURF 4T FC-W 10W-30 10W-40 25W-40	API SL NMMA FC-W®: No.FB-20333H for grade 10W-40 No.FB-20444H for grade 10W-30 No.FB-20555H for grade 25W-40	A state-of-the-art oil for 4-stroke outboard engines that meets the FC-W standard, with the 25W-40 viscosity grade recommended for MERCURY 4-stroke VERADO engines. Officially FC-W certified by the National Marine Manufacturers Association (NMMA).
IGOL PROSURF 4T ST 10W-30 10W-40 15W-50	ACEA A3/B3 • API SL /CF SAE 10W-30: for 4-stroke petrol outboard engines SAE 10W-40: for petrol outboard engines and for petrol or diesel inboard engines SAE 15W-50: for petrol or diesel inboard engines	A synthetic technology oil for 4-stroke petrol or diesel, outboard or inboard engines. with or without turbocharger, leisure or professional boating, on coastal or river waters. Miscible with other engine oils.
IGOL PROSURF 4T MINÉRALE 15W-40	API SJ/CF (higher than CD) ACEA A3/B3	A mineral engine oil for 4-stroke outboard or inboard, petrol or diesel engines, with or without turbocharger for pleasure or professional boating, on coastal or river waters. Miscible with other engine oils.



The manufacture of IGOL's Marine Pro range has been made possible by the company's application of an original technological concept. The range has been devised and developed under rigorous technical and environmental conditions to meet the most demanding technological requirements, and is the result of close collaboration with the sector's leading engine manufacturers.




PROFESSIONAL DIESEL ENGINES

IGOL LUBRICANT	STANDARDS	SPECIFICATIONS
IGOL MARINE 12X 15W-40	ACEA E9-08 API CJ-4 / CH-4 / CG-4 CUMMINS CES 20081* CATERPILLAR ECF -3, 2, 1-a VOLVO VDS-4 / VDS-3 / VDS-2 MAN M 3575	A state-of-the-art oil formulated using high-performance, group-III base oils for naturally aspirated or turbocharged diesel marine engines, specially designed to meet the European EURO 5 / EURO 6 emissions standards. <i>*Approved quality. Use is recommended under the terms of the OEM warranties.</i>
IGOL MARINE 9X 15W-40	API CI-4 / CH-4 / CG-4 ACEA E5 / E3 MAN M3275 • MTU Type 2 VOLVO VDS-3 CUMMINS CES20071 / 72 / 78 Cat ECF-1 • BAUDOUIN SMB 5 TBN: 11	Mineral oil for marine engines that require compliance with the following standards: <ul style="list-style-type: none"> ▪ VDS-3 - Volvo Penta engines ▪ ACEA E5 / E3 - Iveco Aifo engines ▪ API CI-4 / CH-4 / CG-4 - Mercury, Caterpillar, Cummins, MTU and Mercruiser Diesel engines.
IGOL MARINE 7X 15W-40	API CH-4 / CG-4 / CF-4 ACEA E5 / E3 BAUDOUIN SMB 5 • TBN: 11.6 VOLVO VDS-2 CUMMINS CES 20071 / 2 / 6 / 7 MTU Type 2 • MAN M3275	A mineral oil for naturally aspirated or turbocharged diesel marine engines. Marine 7X is suitable for all marine engines that require compliance with the following standards: <ul style="list-style-type: none"> ▪ ACEA E5 / E3 - Volvo Penta engines ▪ API CH-4 / CG-4 / CF-4 - IVECO AIFO engines ▪ Mercury, Caterpillar and Mercruiser Diesel engines.
IGOL MARINE 5X PRO 15W-40	ACEA E3 • CCMC D5 • API CF	A multigrade oil for naturally aspirated or turbocharged diesel engines.
IGOL MARINE PRO 15W-40	API SJ/CF (higher than CD) ACEA A3/B3	A mineral oil for 4-stroke, petrol or diesel, outboard or inboard engines, with or without turbocharger, for pleasure or professional boating, on coastal or river waters. Miscible with other engine oils.
IGOL MARINE PRO PLUS WA 40	API CF MIL-L-2104C	Oil for WÄRTSILÄ marine engines. Tested on Wärtsilä engine type UD25V12. MARINE PRO PLUS WA meets the requirements of most marine engine manufacturers such as New Sulzer, Man, B&W and Wärtsilä.
IGOL MARINE 4X 15W-40	API CG-4 / CF-4 / CF / SJ ACEA E2 • TBN: 9.4	A mineral oil for naturally aspirated or turbocharged diesel marine engines.
IGOL MARINE PRO + 30 40	CCMC D4 API CF BAUDOUIN: service level SMB 3	MARINE PRO + 30 and 40 for engines that require monograde oils for the lubrication of reverse-reduction gearboxes. Exceeds the strictest requirements imposed by the main engine manufacturers and meets international standards.
IGOL MARINE 30 40 50	ACEA E2 API CF BAUDOUIN SMB 2 (for SAE 30 and SAE 40 grades)	A monograde oil for naturally aspirated or turbocharged diesel marine engines. Specially developed for supercharged (or not), high- or medium-speed diesel engines used for professional boating on coastal or river waters and for engines fitted (or not) with an on-board generator.

SPECIAL PRODUCTS

IGOL LUBRICANT	STANDARDS	SPECIFICATIONS
IGOL MARINE GEAR 75W-90	API GL-4 API GL-5 / GL-5 LS MIL-PRF-2105E	A semi-synthetic oil for sterndrives (lower gears) and transmissions on boats.
IGOL MARINE GEAR MC HP 90	API GL-5 / GL-5 LS	A special oil for Mercruiser sterndrives (lower gears).
IGOL MARINE FLUID 46	ISO 11158 HV ISO-L-HV-46 DIN 51524 Part 3: HLVP-46	A "stabilised zinc" type mineral oil for hydraulic transmissions. SPECIFICATIONS: Vickers Denison HF-0 and HF-2. This anti-wear hydraulic oil offers excellent resistance to hydrolysis and to thermal degradation. Suitable for all hydraulic control circuits operating at high pressures and/or temperatures and fitted to fixed or moving equipment. Also suitable for hydraulic motors.
IGOL SUPER NET		A powerful water-based cleaner for marine applications (tyres, steering consoles, etc.).
IGOL ACTIV'ESSENCE		A state-of-the-art, high-performance additive for treating fuel in all petrol engines.
IGOL ACTIV' DIESEL		A state-of-the-art, high-performance additive for treating fuel in all diesel engines.
IGOL EMBASE NOIRE		A mineral oil specially developed for the sterndrive (lower gears) of outboard engines.
IGOLMIX -25		A ready-to-use, organic and miscible coolant that provides anti-freeze protection down to -25°C (type 2).
IGOL SHP 50	NLGI grade 2	A lubricating grease based on lithium and calcium soap, plus refined mineral oils, specially developed for use in marine environments. Drop point > 180°C - Temperature range: -20°C to 140°C EP welding > 315 kg
SONIFAT 2040 DW		A surface protection and moisture repelling agent
DEGRIPPANT LUBRIFIANT		An unseizing agent that also dissolves greases and tars, lubricates and reduces corrosion, moisture levels and friction.
MOTOR CLEAN		A powerful water-based cleaner specially designed to clean engines





For more information about
IGOL scan this QR code with
your smartphone

IGOL.
LUBRICANTS

IGOL FRANCE

614, rue de Cagny - CS 19403
80094 AMIENS CEDEX 3 - FRANCE
T. +33 3 22 50 22 22

 www.igol.com