




IGOL.
LUBRICANTS



A **PASSION** FOR
PERFORMANCE

**AUTOMOBILE
RANGE**

IGOL.

LUBRICANTS

WHO ARE WE?



1950



1970



1990




2000

MORE THAN 75 YEARS OF PASSION AND STILL GOING STRONG !

The IGOL brand was created when fifteen heads of independent producers and distributors of lubricants across France joined forces. Since then, the company has grown steadily and is now one of the leading independent manufacturer of lubricants.

Our perennial priorities have been: quality, innovation and close working relationships - all with a view to fostering an effective partnership with every customer.




A PARTNER FOR PERFORMANCE

IGOL has always been involved in motor sports, competing at the highest levels. Rallying and motorcycle racing are embedded in the brand's DNA. Competitive racing provides an ideal and challenging proving ground for innovative lubricants. IGOL is proud to support the performance and achievements of its partners, by enabling them to exceed their expectations.



PACKAGING THAT MEETS YOUR NEEDS



DEDICATED EXPORT TEAM

IGOL INTENSIFIES ITS INTERNATIONAL PRESENCE !

For more than 75 years, IGOL has been designing, developing and manufacturing innovative, state-of-the-art products.

IGOL offers a wide range of lubricants for engines, transmissions and gearboxes, but also complementary products such as greases, coolants, aerosols, cleaning products and cosmetics for all sectors of activity (Automotive, Motorcycle, Farming/culture, Industry...).

With a brand new plant based in the north of France, IGOL continues to invest in research and development and in its production facilities to offer you premium products and services.

FRENCH KNOW-HOW

IGOL exports its French know-how to many countries.

IGOL and its dedicated Export team can help you to grow your business by benefiting from a strong brand with a presence in many international motorsports competitions, state-of-the-art products tailored to your needs and your market, tailor-made marketing tools and actions.



DO YOU WANT TO BECOME A DISTRIBUTOR OF THE IGOL BRAND OR TO KNOW MORE ?

Please contact our Dedicated export team !

By telephone: **+33 6 69 63 99 37**

By email: **export@igol.com**

OUR RANGES

PROFIVE

Top-end lubricants that preserve OEM warranties and meet the latest ACEA standards.

PROCESS

Lubricants whose properties meet manufacturers' recommendations.

Race Factory

Lubricants specially developed for competition.

Héritage

DEPUIS 1949

IGOL know-how applied to lubricants for older vehicles.

PROFIVE

APPROVED

OEM WARRANTY



Modern vehicles need engine lubricants that satisfy the approval criteria set by manufacturers, but which above all maintain and even improve engine performance and lifespan.

With its PROFIVE range, IGOL caters perfectly to these requirements. Our R&D department finds technical solutions that meet the most challenging demands imposed by manufacturers - this is particularly true for the cutting-edge industrial technology applied by this department to develop the complex formulations found in our PROFIVE range. Keep a step ahead with PROFIVE.

IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
PROFIVE LOW SAPS RANGE			
IGOL PROFIVE 2010	0W-20	ACEA C5, C6 API SP SN PLUS	100% synthetic lubricant. PSA B71 2010
IGOL PROFIVE PREMIUM TECH FE	0W-20	ACEA C5, C6 API SP SN PLUS	100% synthetic lubricant. MB-Approval 229.71 - Jaguar/Land Rover STJLR.03.5006 - FORD WSS M2C952 A1 - OPEL OV 0401547-A20 - GM Dexos D
IGOL PROFIVE 508/509	0W-20	ACEA C5	100% synthetic lubricant. VW 508.00/509.00 - FORD WSS M2C 956 A1- PORSCHE C20
IGOL PROFIVE RN 17 FE	0W-20	ACEA C5	100% synthetic lubricant. Renault RN 17 FE
IGOL PROFIVE VCC	0W-20	ACEA C5	100% synthetic lubricant. VOLVO VCC RBS0 2AE
IGOL PROFIVE PREMIUM TECH	0W-30	ACEA C3	100% synthetic lubricant. BMW LL-04 - VW 504.00 VW 507.00 - PORSCHE C30
IGOL PROFIVE F950	0W-30	ACEA C2	100% synthetic lubricant. Ford WSS-M2C950-A - Fiat 9.55535-GS1 - Fiat 9.55535-DS1

In bold : recommended use to comply with manufacturer warranty



IGOL PROFIVE CRYSTAL	0W-30	ACEA C2	100% synthetic lubricant. Peugeot/Citroën - Automobiles B71 2312 - FIAT 9.55535-GS1& FIAT 9.55535-DS1
IGOL PROFIVE F948	5W-20	ACEA C5 API SP	100% synthetic lubricant. FORD WSS-M2C948-B
IGOL PROFIVE PREMIUM TECH	5W-30	ACEA C3 API SN	100% synthetic lubricant. MB-229.52 - MB-229.51 - MB 229.31 - BMW LL-04 (N20) - VW 504.00/ 507.00 - PORSCHE C30 - GM/OPEL OV 040 1547 D-30 OV 040 1547 G30
IGOL PROFIVE HI TECH	5W-30	ACEA C3 API SN	100% synthetic lubricant. MB 229.52 - MB 229.51 - MB 229.31- BMW LL-04 (N20) - GM/OPEL OV 040 1547 D-30 - GM DEXOS 2 - VW 505.00/505.01
IGOL PROFIVE D1 G2	5W-30	API SP SN PLUS SN PLUS RC ILSAC GF-6A	100% synthetic lubricant. Dexos 1 Gen 2 OV 0401547-G30 - Ford WSS-M2C-946-A - Chrysler MS 6395
IGOL PROFIVE FPW03	5W-30	ACEA C3 API SN PLUS	100% synthetic lubricant. PSA FPW9.55535/03 PSA B71 2290
IGOL PROFIVE 2290	5W-30	ACEA C2, C3 API SP	100% synthetic lubricant. RENAULT RN17 , RN 0700/0710 - PSA B71 2290 - Fiat 9.55535.S1 - MB 229.31 - MB 229.51/229.52 - MB 226.52
IGOL PROFIVE RN 17	5W-30	ACEA C2, C3 API SP	100% synthetic lubricant. RENAULT RN 17 - RN 0700/0710 - PSA B71 2290 - MB 229.31 MB 229.5/229,52 - MB 226.52 - FIAT 9.55535.S1
IGOL PROFIVE C4	5W-30	ACEA C3, C4	100% synthetic lubricant. RENAULT RN0720 - MB 226.51/226.52
IGOL PROFIVE SAPHIR	5W-30	ACEA C1, C2	100% synthetic lubricant. FORD WSS M2C934B - MAZDA (vehicles up to 2012) - JAGUAR / LAND ROVER STJR.03.5005
IGOL PROFIVE DIAMANT	5W-40	ACEA C3 API SN/SM/CF	100% synthetic lubricant. MB 229.51 - MB 229.31/226.5 - BMW LL 04 LL 01 - PORSCHE A40 - RN0700/0710 - FORD WSS-M2C-917A - FIAT 9.55535.S2 - VW 502.00/505.00/505.01 - GM Dexos2

PROFIVE FULL SAPS RANGE

IGOL PROFIVE HYBRID	0W-8		100% synthetic lubricant. JASO GLV-1
IGOL PROFIVE F913	5W-30	ACEA A5/B5 A1/B1 API SL/CF	100% synthetic lubricant. FORD WSS-M2C913-D - RENAULT RN 0700
IGOL SYMBOL CERAMIC	5W-40	ACEA A3/B4 API SN	100% synthetic lubricant. Renault RN 700/0710 - MB 226.5 / 229.5 - OPEL GM -LL-B-025 - VW 502.00/505.00 - Porsche A40 - FIAT 9.55535.M2 - PSA B71 2296 - BMW LL 01 LL 98 - CHRYSLER MS 12991
IGOL PROFIVE B4R	10W-40	ACEA A3/B4 API SN	Semi-synthetic lubricant. RN 0700/0710 - VW 502.00/505.00 - MB 229.3 - PSA B71 2300

In bold : recommended use to comply with **manufacturer warranty**

PROCESS

LEVEL

OEM WARRANTY



With more than 75 years of experience and innovation under its belt, IGOL caters for all requirements and applications. It is the leading French independent producer and OEM have recognised the quality of IGOL's lubricants by designating them as "approved" products in terms of maintaining OEM warranties. The PROCESS range is an example of this quality.

You can rely on IGOL's experience and know-how to protect your engine and maximise your equipment's lifespan and performance, even under extreme conditions, thanks to the high levels of protection and reliability offered by the lubricants.

IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
PROCESS MID & LOW SAPS RANGE			
IGOL PROCESS C2	0W-30	ACEA C2 API SP	100% synthetic lubricant.
IGOL PROCESS RUBIS C2, C3	5W-30	ACEA C2, C3 API SN ISLAC GF-5	100% synthetic lubricant. MB 229.51/229.52 - GM DEXOS 2 040 1547 D30 - BMW LL04 - VW 504 00 / VW 507 00 - IVECO 18 1811 SC1 - BMW LL-04 (N20)
IGOL PROCESS C3	5W-30	ACEA C3 API SP/SN	100% synthetic lubricant. MB 229,31 - MB 229.51/229.52 - VW 502.00/505.0 - BMW LL-04/LL-01/LL-98 - GM DEXOS 2
IGOL PROCESS C3	5W-40	ACEA C3 API SP/SN	100% synthetic lubricant. MB 229,31 - MB 229.51/229.52 - VW 502.00/505.0 - BMW LL-04/LL-01/LL-98 - GM DEXOS 2



GAMME PROCESS FULL SAPS RANGE

IGOL PROCESS HYBRID FE	0W-16	API SP/SN RC	100% synthetic lubricant. Hybrid engines TOYOTA, HONDA, SUZUKI
IGOL PROCESS HYBRID	0W-20	API SP/SN ILSAC GF-6A	100% synthetic lubricant. Hybrid engines TOYOTA, HONDA, SUZUKI
IGOL PROCESS V	0W-30	ACEA A5/B5 API SN	100% synthetic lubricant. Volvo 95200377
IGOL PROCESS A5/B5	5W-30	ACEA A5/B5 ACEA A1/B1	100% synthetic lubricant. Renault RN 0700 - MB MB 229.1
IGOL PROCESS S	5W-40	ACEA A3/B4 API SN/CF	100% synthetic lubricant. MB 229.1 - Renault RN0700
IGOL PROCESS B4	10W-40	ACEA A3/B4 API SL/CF	Semi-synthetic lubricant. MB 229.1
IGOL PROCESS CLASSIC	10W-40	ACEA A3/B3 API SL/CF	Semi-synthetic lubricant. MB 229.1 - VW 501.01/505.00
IGOL PROCESS GS	15W-40	ACEA A3 / B3 API SJ/CF	Mineral lubricant.





THE NEW RANGE OF LUBRICANTS DEDICATED TO MOTOR RACING

The product of years of experience on rally cars and tested under the most extreme conditions, this new range of IGOL RACE FACTORY lubricants have been developed to cater for the ultra-high performance of sports cars, supercars, racing cars and muscle cars.

IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
IGOL RACE FACTORY COMPÉTITION	10W-60	ACEA A3/B4 API SP	100% synthetic lubricant ESTER & PAO. Suitable for some BMW, PORSCHE, etc. engines.
IGOL RACE FACTORY 0101	10W-50	ACEA C3	100% synthetic lubricant ESTER & PAO. Meets the Abarth 0101 standard.
IGOL RACE FACTORY RALLYE	5W-50	ACEA A3/B4 API SN	100% synthetic lubricant ESTER & PAO.
IGOL RACE FACTORY GT SPORT	5W-40	ACEA C3 API SP	100% synthetic lubricant ESTER & PAO.
IGOL RACE FACTORY GT POWER	5W-30	ACEA C3 API SP	100% synthetic lubricant ESTER & PAO.
IGOL RACE FACTORY RACING	0W-40	ACEA A3/B4 API SN	100% synthetic lubricant ESTER & PAO. Renault RN 0700 RN 0710 - Ford WSS M2C 937-A - MB 229.3 et MB229.5 - VW 502.00 VW 505.00 - Porsche A40



Héritage

SINCE 1949



MULTIGRADE LUBRICANTS FOR VINTAGE AND COLLECTOR CARS

For more than 75 years, the IGOL brand has been synonymous with safety and peace of mind. The HERITAGE range of lubricants gathers together the quintessence of these years of technical research and experience to protect and enhance the performance of these engines. IGOL's HERITAGE range provides a modern lubrication solution that meets the demanding requirements of enthusiasts for their vintage, classic and youngtimer cars.

IGOL PRODUCT	VISCOSITY	ACEA/API	SPECIFICATIONS & TECHNOLOGY
IGOL HÉRITAGE ZS	15W-50	ACEA A3/B3 API SL/CF	Semi-synthetic lubricant. MB 229.1 - VW 501.01/505.00
IGOL HÉRITAGE GTZ	20W-50	API SF/CF	Mineral lubricant
IGOL HÉRITAGE SPORT	SAE 30 SAE 40 SAE 50	API SE/CC	Mineral lubricant





TRANSMISSION, GEARBOX & AXLE

IGOL PRODUCT

SPECIFICATIONS & TECHNOLOGY

GEARBOXES

IGOL GEAR FLUID FE

Viscosity : 75W
API GL4

100% synthetic lubricant for manual gearboxes.

Conforms with the following specifications: VW 052 178/ 052 512/ 070 726/ 052 527/ 070 726, BMW 8322 2409 710/ 8322 0 397 244/ 8322 0 306 816/ DTF 1 (83 22 2 409 710), Fiat 9, 55550 MZ6 75W, WSS-M2C 200-D2, Nissan LVMT1 75W

IGOL PREMIUM GEAR+

Viscosity : 75W-80
API GL4 / GL4+

Semi-synthetic lubricant for manual gearboxes.

Conforms with the following specifications:

Mini - Mercedes - Smart - Alfa Roméo - Fiat - Volvo - Honda - Rover - Citroën - Peugeot - Dacia - Renault - Seat - Skoda - ZF TE-ML 02A/06L/17A

GEARBOXES AND AXLE

IGOL RALLYE GEAR

75W-80 API GL 4 / GL 5
75W-90 API GL 4 / GL 5 / GL5 LS
80W-140 API GL 4 / GL 5 & GL5 LS

Semi-synthetic lubricant for manual gearboxes and axles.

Developed to meet the requirements of the T.D.L. concept (Total Drive Line).

Grade 75W-80: for manual gearboxes.

Grade 75W-90: for manual gearboxes and all transfer gearboxes, including limited-slip positraction differentials.

Grade 80W-140: for all axles, particularly limited-slip axles, subject to heavy loading.

AUTOMATIC TRANSMISSION

IGOL ATF MULTI FE ULV

100% synthetic lubricant for automatic gearboxes.

FORD MERCRON ULV / M2C949-A GM - DEXRON ULV - AISIN WARNER AW-2 (EAT 8 PSA) - SFU MB 236.15 / 236.17 - 7G/9G TRONIC VW 053 001

IGOL ATF MULTI FE

100% synthetic «Fuel Economy» fluid for automatic gearboxes and power steering systems.

FORD MERCON LV - GM DEXRON VI - AISIN WARNER AW-1 - ZF LIFEGUARD 6-7-8-9 - MB 236.14 / VW 055 525 / 060 726 052 512 / 060 162

IGOL ATF MULTI

100% synthetic, high viscosity, multi-vehicle fluid for automatic transmissions, power steering and hydraulic systems.

AISIN WARNER JWS 3309 - ELF MATIC J46 - ESSO LT 71141 - FIAT 9.55550-AG1 et 9.55550-AG2 - GM DEXRON II-D, III-G and III-H - MITSUBISHI DIAQUEEN SP and SP-II - PSA AL-4 (PSA 9736 22) / B71 2340 - TOYOTA T; T-II; T-III & T-IV

IGOL ATF CVT	100% synthetic lubricant for automatic CVT transmissions. FORD WSS-M2C928-A - GM DEXRON CVT - NISSAN CVT NS-1 / NS-2 / NS-3 - HYUNDAI CVT-J1 - MB 236.20 - VW/AUDI MULTITRONIC - VW 052 180 / 02 516
IGOL DCT GEAR	100% synthetic fluid for multi manufacturer dual clutch gearboxes. GM DEXRON DCT - BMW LT-5 / DCTF-1+ / DCTF-2 - MB 236.21 / 236.22 / 236.25 / 239.21 / 239.22 - PSA 9734.S2 - RENAULT DW5 / DW6 - VW BOITE DSG et S.TRONIC - VW 052 182 / 052 529 / 055 529 / 055 512 / 055 549
IGOL ATF TYPE 33	Minéral lubricant for transmissions, specially formulated for automatic gearboxes equipped with a torque converter.
IGOL BLOCK DA	100% synthetic hydraulic fluid for power steering, hydraulic activation of certain automatic transmissions, hydraulic power units, hydraulic suspension. MB 345.0 - VW TL 521 46 5 (VW G 002 00/A7/A8/G 004 000) - PSA S71 2710 (LDS) - BMW 81 22 9 407 758 - BMW 82 11 1 468 041 - BMW 83 29 0 429 576 - FORD M2C204-A - PORSCHE 000 043 203 33 - FIAT 9.55550.AG3

All manufacturer specifications are available on the technical sheet on igol.com.





For more information about
IGOL scan this QR code with
your smartphone

IGOL.
LUBRICANTS

IGOL FRANCE
614, rue de Cagny - CS 19403
80094 AMIENS CEDEX 3 - FRANCE
T. +33 3 22 50 22 22

 www.igol.com